Application No.: 10/809,564 Docket No.: LOREAL 3.0-018

IN THE CLAIMS

1. (currently amended) An o Θ xidizing composition for dyeing, bleaching or permanently reshaping keratin fibres, comprising:

- a) at least one oxidizing agent, and
- <u>b)</u> at least one compound corresponding to the general of formula (I) below:

$$R-(CHOH)_4-CO_2X$$
 (I)

in-whichwherein:

- R represents is a group CH2OH or CO2X group, and
- X represents is a hydrogen atom or a monovalent or divalent cation derived chosen from an alkali metal, from an alkaline-earth metal, from a transition metal or, from an organic amine, or an ammonium cation;

 \Box with the proviso that, when R represents is a CH2OH group, the said compound of formula (I) is other than gluconic acid and or the a salts thereof.

- 2. (currently amended) The composition according toof colaim 1, in which wherein the said monovalent or divalent metal cation is chosen from the group consisting of a monovalent alkali metal cations, a divalent alkaline-earth metal cations, a divalent transition metal cations and a monovalent cations derived chosen from an organic amines or from an ammonium cation.
- 3. (currently amended) The composition according to either of colaims 1—and—2, in which thewherein said compound(s) of formula (I) is(are) chosen from the group consisting of mannonic acid, altronic acid, idonic acid, galactonic acid, talonic acid, gulonic acid and—or allonic acid.
- 4. (currently amended) The composition according to of column 1, in which wherein, for the compound of formula (I), R represents is a group- CO_2X group.
- 5. (currently amended) The composition according toof colaim 4, in which wherein the said compound (s) of formula (I)

Application No.: 10/809,564

is(are) chosen from the group consisting of mucic acid, glucaric acid, mannaric acid, altaric acid, idaric acid, talaric acid, gularic acid andor allaric acid, anthe alkali metal salts thereof, anthe alkaline-earth metal salts thereof, athe transition metal salts thereof, anthe organic amine salts thereof orand thean ammonium salts thereof, andor a mixtures thereof.

- 6. (currently amended) The Composition according toof CClaim 5, in whichwherein thesaid compound of formula (I) is mucic acid.
- 7. (currently amended) The composition according to any one of the preceding claims 1, in whichwherein thesaid compound(s) of formula (I) represent(s) is present in an amount of from 0.001% to 10% by weight relative to the total weight of the oxidizing composition.
- 8. (currently amended) The cComposition according to any one of the preceding claims 7, in whichwherein thesaid compound(s) of formula (I) represent(s) is present in an amount of from 0.001% to 5% by weight relative to the total weight of the oxidizing composition.
- 9. (currently amended) The composition according to any one of the preceding claims 1, in whichwherein the oxidizing composition comprises one or more said oxidizing agents chosen from the group consisting of is hydrogen peroxide, urea peroxide, alkali metal bromates, or persalt such as perborates, percarbonates and persulphates, and peracids.
- 10. (currently amended) The composition according to any one of the preceding—claims_1, in whichwherein thesaid oxidizing agent(s) represent(s) is present in an amount of from 0.1% to 30% by weight relative to the total weight of the oxidizing composition.
- 11. (currently amended) The composition according to any one of the preceding claims 10, in whichwherein thesaid

oxidizing agent(s) represent(s) is present in an amount from 0.5% to 20% by weight relative to the total weight of the oxidizing composition.

- 12. (currently amended) The composition according to any one—of the preceding—claims__1, also comprising one—or morefurther comprising a cationic or amphoteric conditioning polymers, in proportions of from 0.01% to 10% by weight and preferably from 0.05% to 5% by weight relative to the total weight of said composition.
- 13. (currently amended) The cComposition according to any one of the preceding claims 1, also further comprising an amphiphilic polymer which isone or more nonionic, anionic, cationic, or amphoteric—amphiphilic polymers,—, wherein said amphiphilic polymer comprisesing a hydrophobic chain,—in proportions of from 0.05% to 20% by weight and preferably from 0.1% to 10% by weight relative to the total weight of said composition.
- 14. (currently amended) The composition according to any one of the preceding claims 1, also further comprising a one or more surfactants, in proportions of from 0.01% to 40% by weight and preferably from 0.1% to 30% by weight relative to the total weight of said composition.
- 15. (currently amended) The composition according to any one of the preceding claims 1, also further comprising one or morea rheology modifiers other than the nonionic, anionic, cationic or amphoteric—amphiphilic polymers, comprising a hydrophobic chain of claim 13, in proportions of from 0.05% to 20% by weight and preferably from 0.1% to 10% by weight relative to the total weight of said composition.
- 16. (currently amended) The composition according to any one of the preceding claims 1, also further comprising anone or more acidifying or basifying agents, in proportions of from

0.01% to 30% by weight relative to the total weight of said composition.

- 17. (currently amended) The composition according to any one of the preceding claims 1, also further comprising one or more solvents chosen from the group consisting of water and mixtures composed of water and of one or more cosmetically acceptable organic solvents, this or these solvent(s) representing from 0.5% to 20% by weight and preferably from 2% to 10% by weight relative to the total weight of said composition.
- 18. (currently amended) The composition according to any one of the preceding claims 1, also further comprising an one or more adjuvants chosen from the group consisting of a mineral or organic fillers, binders, lubricants, antifoams, silicones, dyes, matting agents, preserving agents and or fragrances.
- 19. (currently amended) The composition according to any one of the preceding claims 1, said composition being intended for bleaching or permanently reshaping human wherein said keratin fibres and preferably the is hair.
- 20. (currently amended) A Process method of for bleaching or permanently reshaping keratin fibres, successively comprising the steps consisting inof:
- a) applying to the said keratin fibres ansaid oxidizing composition as defined in any one of celaims 1 to 19;
- b) leaving the said oxidizing composition to stand on the said keratin fibres for a sufficient time that is sufficient to obtain the desired bleaching or permanent reshaping;
- c) rinsing the said keratin fibres to remove the said oxidizing composition therefrom ... +
- d) optionally washing the keratin fibres one or more times, rinsing them after each wash, and optionally drying them;

said-process-also comprising, before step a), in the case of a permanent reshaping, the steps consisting in:

- —i) applying a reducing composition to the keratin fibres, said keratin fibres being placed under mechanical tension before, during or after said application;
- ii) leaving the reducing composition to stand on the keratin fibres for a time that is sufficient to obtain the desired reshaping; and
- —iii) optionally rinsing the keratin fibres with water to remove the reducing composition therefrom.
- 21. (currently amended) A method of Process for dyeing keratin fibres, successively comprising the steps consisting inof:
- ea) applying a dye composition to these said keratin
 fibres;
- <u>said</u> keratin fibres to developdeveloping the colour of said composition by applying to the fibres an oxidizing composition as defined in any one of Claims 1 to 19;
- <u>cg</u>) leaving <u>thesaid</u> oxidizing composition <u>to stand</u> on <u>thesaid</u> keratin fibres for a <u>sufficient</u> time <u>that is sufficient</u> to obtain the desired coloration;
- $h\underline{d}$) rinsing the keratin fibres with water to remove the said dye composition and the said oxidizing composition therefrom.
- 22. (currently amended) A method of Process for dyeing keratin fibres, successively comprising the steps consisting inof:
- ia) mixing a dye composition and the oxidizing composition
 of claim 1 to create a mixture;
- b) applying <u>said mixture</u> to <u>these</u> <u>said keratin</u> fibres; a composition obtained by extemporaneous mixing, before application, of a dye composition and of an exidizing composition as defined in any one of Claims 1 to 19;

Application No.: 10/809,564

- <u>jc</u>) leaving the compositionsaid mixture to tand on the said keratin fibres for a sufficient time that is sufficient to obtain the desired coloration;
- <u>kd</u>) rinsing <u>the</u><u>said</u> keratin fibres with water to remove <u>the</u><u>composition</u>said mixture therefrom.
- 23. (currently amended) A Device or "kit" for dyeing keratin fibres, comprising: at least two compositions A and B intended to be mixed together to obtain a ready-to-use dye composition,

wherein the said composition A being the is an oxidizing composition and the said composition B being is a composition comprising at least one dye, said device being characterized in that the

wherein said composition A contains at least one or more compounds corresponding to the general of formula (I) below:

$$R-(CHOH)_4-CO_2X \qquad (I)$$

in which:

- R $\frac{\text{represents}}{\text{is}}$ a $\frac{\text{group}}{\text{CH}_2\text{OH}}$ or CO_2X $\frac{\text{group}}{\text{group}}$, and
- X represents—is a hydrogen atom or a monovalent or divalent cation derived—chosen from an alkali metal, from—an alkaline-earth metal, from—a transition metal—or, from—an organic amine, or an ammonium cation;
- →with the proviso that, when R represents is a CH₂OH group, the said compound of formula (I) is other than gluconic acid and or athe salts thereof.
- 24. (currently amended) A Device or "kit" for bleaching keratin fibres, comprising: at least two compositions C and D intended to be mixed together to obtain a ready-to-use oxidizing composition, wherein;
- <u>a)</u> <u>said device being characterized in that said</u> at least one of the <u>said</u> compositions C and D contains one or morean oxidizing agents, and

<u>b)</u> at least one <u>of said compositions C and D</u> contains one or more compounds corresponding to the general of formula (I) below:

 $R-(CHOH)_4-CO_2X$ (I)

in whichwherein:

- R represents is a group CH2OH or CO2x group, and
- X represents is a hydrogen atom or a monovalent or divalent cation derived chosen from an alkali metal, from an alkaline-earth metal, from a transition metal, or from an organic amine, or an ammonium cation;
- •—with the proviso that, when R represents is CH_2OH , the said compound (I) of formula (I) is other than gluconic acid and or a the salts thereof.
- 25. (currently amended) ADevice or "kit" for permanently reshaping keratin fibres, comprising: at least two compositions E and F, wherein
- a) said composition E being is an oxidizing composition comprising an oxidizing agent and a compound of formula (I):

 $R-(CHOH)_4-CO_2X$ (I)

wherein:

- R is a CH₂OH or CH₂X group, and;
- X is a hydrogen atom or a monovalent or divalent cation chosen from an alkali metal, an alkaline-earth metal, a transition metal or an organic amine, or an ammonium cation;
- \bullet with the proviso that, when R is CH_2OH , said compound of formula (I) is other than gluconic acid or a salt thereof, and
- b) <u>said</u> composition F <u>beingis</u> a reducing composition. rsaid device being characterized in that composition E contains one or more oxidizing agents and at least one or more compounds corresponding to the general formula (I) below:

 $R-(CHOH)_4-CO_2X$ (I)

in-which:

□R-represents a group CH₂OH or CH₂X, and;

Application No.: 10/809,564

Ex represents a hydrogen atom or a monovalent or divalent cation derived from an alkali metal, from an alkaline-earth metal, from a transition metal or from an organic amine, or an ammonium cation;

- with the proviso that, when R represents CH2OH, the compound (I) is other than gluconic acid and the salts thereof.
 - 26. (canceled)
- 27. (new) The composition of claim 9, wherein said persalt is perborate, percarbonate, persulphate, or peracid.
- 28. (new) The composition of claim 12, wherein said cationic or amphoteric conditioning polymer is present in an amount of from 0.01% to 10% by weight relative to the total weight of said composition.
- 29. (new) The composition of claim 28, wherein said cationic or amphoteric conditioning polymer is present in an amount of from 0.05% to 5% by weight relative to the total weight of said composition.
- 30. (new) The composition of claim 13, wherein said amphiphilic polymer is present in an amount of from 0.05% to 20% by weight relative to the total weight of said composition.
- 31. (new) The composition of claim 30, wherein said amphiphilic polymer is present in an amount of from 0.1% to 10% by weight relative to the total weight of said composition.
- 32. (new) The composition of claim 14, wherein said surfactant is present in an amount of from 0.01% to 40% by weight relative to the total weight of said composition.
- 33. (new) The composition of claim 32, wherein said surfactant is present in an amount of from 0.1% to 30% by weight relative to the total weight of said composition.
- 34. (new) The composition of claim 15, wherein said rheology modifier is present in an amount of from 0.05% to 20% by weight relative to the total weight of said composition.

- 35. (new) The composition of claim 34, wherein said rheology modifier is present in an amount of from 0.1% to 10% by weight relative to the total weight of said composition.
- 36. (new) The composition of claim 16, wherein said acidifying or basifying agent is present in an amount of from 0.01% to 30% by weight relative to the total weight of said composition.
- 37. (new) The composition of claim 17, wherein said solvent is water or a mixture composed of water and a cosmetically acceptable organic solvent.
- 38. (new) The composition of claim 17, wherein said solvent present in an amount of from 0.5% to 20% by weight relative to the total weight of said composition.
- 39. (new) The composition of claim 38, wherein said solvent is present in an amount of from 2% to 10 % by weight relative to the total weight of said composition.
- 40. (new) The composition of claim 1, further comprising a compound selected from a group consisting of:
 - a) a cationic or amphoteric conditioning polymer
 - b) an amphiphilic polymer which is non-ionic, anionic or cationic, wherein said amphiphilic polymer comprises a hydrophobic chain
 - c) a surfactant
 - d) a rheology modifier other than the amphiphilic polymer of (b)
 - e) a pH modifier, and
 - f) a solvent.
- 41. (new) The method of claim 20, further comprising the step of: washing said keratin fibres one or more times, rinsing them after each wash.
- 42. (new) The method of claim 41, further comprising the step of: drying said keratin fibres.

43. (new) A method of permanently reshaping keratin fibres, comprising the steps of:

- a) applying to said keratin fibres a reducing composition;
- b) leaving said reducing composition on said keratin fibres for a sufficient time to obtain the desired permanent reshaping;
- c) rinsing said keratin fibres to remove said reducing composition therefrom;
- d) applying the oxidizing composition of claim 1 on said keratin fibres for a sufficient time that is sufficient to obtain said desired reshaping;
- e) rinsing said keratin fibres with water to remove said oxidizing composition therefrom.
- 44. (new) The method of claim 43, further comprising the step of: washing said keratin fibres one or more times, rinsing them after each wash.
- 45. (new) The method of claim 44, further comprising the step of: drying said keratin fibres.